S408W03





408 Windsor Gold Pro. Short - Dart SHP Block - 4340 Steel Crank - H-Beam Rods - Forged FT Pistons

Rating: Not Rated Yet

Price

Variant price modifier:

Base price:

Price:

You save:

Ask a question about this product

Description



- Fully Machined & Blueprinted Inhouse At Pavtek Since 1989
- · Packaged Priced Discounted
- 12 Months Unlimited Kilometers Warranty
- Australia Wide Economical Shipping
- In Stock NOW And Ready For Immediate Shipping

APPLICATION:

408 Ford Windsor

Gold Pro Short Engine

This Short Engine Can Be Used To Produce 700 Hp At An Rpm Not Exceeding 7200 RPM

Pavtek Part # S408W03

Built To Order - 4 Weeks **IN Stock Status**

GENERAL TECH. INFO

Final Cubic Inches 408 (351W Stroker)

Bore Diameter 4.030" 4.000" Stroke

PARTS

INCLUDED: BLOCK

Block Supplied Outright Yes

NEW Dart SHP Block Supplied

Block Material Cast Iron

Block CNC Machined Yes - Inhouse 9.500" Block Deck Height

Main Caps Steel 4 Bolt Caps

Billet Main Stud Girdle No Main Bolts / Main Studs **Dart Bolts**

Block Deburred Yes Welsh Plugs Yes - Brass

ROTATING ASSEMBLY

Crankshaft Brand Scat

4340 Forged Steel Crankshaft Material Piston Brand

Srp / JE Piston Material Forged Piston CC Volume 5 CC Flat Tops JΕ

Piston Rings Brand

Piston Ring Widths 1/16 1/16 3/16 Conrod Brand Scat

Conrod Length 6.250" Conrod Beam Style H-Beam Conrod Bolts Material ARP 8740 Conrod Bolt Diameter 7/16 Harmonic Balancer Not Included Harm. Balancer Brand Use PB1086-SS Internal Front & Rear **Engine Balance** Heavy Metal Used

BEARINGS

ACL H-Race Series Main Bearings Big End Bearings ACL H-Race Series Cam Bearings Dart - Coated Oil Restrictor Kit Fitted NO

REAR MAIN SEAL

1 Piece

Rear Main Seal Felpro Competition Style

ALSO INCLUDES

Oil Pan No Oil Pump No Cam & Lifters No **Timing Cover** No Flexplate No Flywheel No Harmonic Bal. Bolt No

Pavtek Free T-Shirt Yes -Specify Size When Ordering

MACHINING INCLUDED:

Chemically Cleaned New Block Supplied Crack Tested New Block Supplied Cam Tunnel Checked Yes

Lifter Bores Honed Yes To Correct Clearances Lifter Bores Grooved Yes For Added Oil Flow

Block Grouted

Main Tunnel Line Honed Yes, As Supplied By Dart

Bored & Honed Yes

Block Decked Yes -Zero +/- .003"

Rods Measured Yes Oil Clearance Checked Yes Cam Bearings Fitted Yes Dynamically Balanced Yes Short Eng. Assembled Yes

Available In Kit Form Yes - Machined To Order

Package Price:

Price Update

: C S408W03 Job / Build #

Based On A Zero Deck Height And .041" Compressed Head Gaskets

3 / 4

Final Compression Ratio Will Be As Follows:

Head CC's	Final CR
54	13.35
56	13.00
58	12.67
60	12.36
62	12.06
64	11.76
66	11.49
68	11.24
70	11.00

Special Notes:

Cam to Conrod Clearance Must Be Checked Before Final Fitting of Camshaft

SRP-206061 (19CC Dish Top) Pistons Also Available For Lower CR

Custom Short Engine Packages Are Available

Price Does Not Include Packaging & Freight Charges

If Ordered Online We Will Contact You With A Price For Freight ASAP

Representative Image Only
Product images may differ from actual product appearance

Image May Be Shown With Optional Available Extras

Short Engines Are Not Supplied Painted Unless Ordered

PLEASE CALL 03 9408 7726 IF YOU NEED ASSISTANCE

OR EMAIL YOUR ENQUIRY TO This email address is being protected from spambots. You need JavaScript enabled to view it. //