S434CW05





434 Clev/Wind Eliminator Short - Dart Iron Eagle Block - 4340 Steel Crank - H-Beam Rods - Forged FT Pistons

Rating: Not Rated Yet **Price:** Variant price modifier:

Base price: \$ 10580.00

\$ 9618.18

Price: \$ 10580.00

You save:

Ask a question about this product

Description



- Fully Machined & Blueprinted Inhouse At Pavtek Since 1989
- Packaged Priced Discounted
- 12 Months Unlimited Kilometers Warranty
- Australia Wide Economical Shipping
- In Stock NOW And Ready For Immediate Shipping

APPLICATION:

434 Cleveland/Windsor

Eliminator PLUS Short Engine

This Short Engine Can Be Used To Produce 800 Hp At An Rpm Not Exceeding 7800 RPM

Block is the standard 9.200" Cleveland deck height. This engine will drop straight into your engine bay just like a Cleveland engine block would !

Note: 351 Windsor Cam, Timing Gear Set, Timing Case Cover, Sump and water pump must be used.

Note: The pistons supplied in this short engine can only to be used with Cleveland style cylinder heads. Conventional Windsor cylinder heads will not suit this short engine.

Pavtek Part

IN Stock Status

GENERAL TECH. INFO Final Cubic Inches

Bore Diameter Stroke

PARTS

INCLUDED: BLOCK

Block Supplied Outright

Block Supplied

Block Material

Block CNC Machined Block Deck Height

Main Caps

Billet Main Stud Girdle Main Bolts / Main Studs S434CW05 Yes -Ready For Shipping

434 (351C Stroker)

NEW Dart Iron Eagle

4.155" 4.000"

Yes

No

Dart Bolts

Cast Iron

Yes - Inhouse 9.200"

Steel 4 Bolt Caps

Block Deburred Welsh Plugs

ROTATING ASSEMBLY

Crankshaft Brand Crankshaft Material Piston Brand Piston Material Piston CC Volume Piston Rings Brand Piston Ring Widths Conrod Brand Conrod Length Conrod Beam Style Conrod Bolts Material **Conrod Bolt Diameter** Harmonic Balancer Harm. Balancer Brand **Engine Balance** Heavy Metal Used

BEARINGS

Main Bearings Big End Bearings Cam Bearings Oil Restrictor Kit Fitted

REAR MAIN SEAL

Style Rear Main Seal

ALSO INCLUDES

Oil Pan Oil Pump Cam & Lifters Timing Cover Flexplate Flywheel Harmonic Bal. Bolt Pavtek Free T-Shirt

MACHINING INCLUDED:

Chemically Cleaned Crack Tested Cam Tunnel Checked Lifter Bores Honed Lifter Bores Grooved Block Grouted

Main Tunnel Line Honed Bored & Honed Block Decked Rods Measured Oil Clearance Checked Cam Bearings Fitted Dynamically Balanced Short Eng. Assembled Available In Kit Form Yes Yes - Brass

Scat 4340 Forged Steel Srp / JE Forged 3 CC Flat Tops SpeedPro 1/16 1/16 3/16 Scat 6.125" H-Beam ARP 2000 7/16 Not Included Use PB1086-SS Internal Front & Rear No

ACL H-Race Series ACL H-Race Series Dart - Coated NO

1 Piece Felpro Competition Style

No No No No Yes -Specify Size When Ordering

New Block Supplied New Block Supplied Yes Yes To Correct Clearances Yes For Added Oil Flow No Yes, As Supplied By Dart Yes Yes -Zero +/- .003" Yes Yes Yes Yes Yes Yes Yes

Price Update	:	24-5-2018
Job / Build #	:	C S434CW05 (22742)

Based On A Zero Deck Height And .041" Compressed Head Gaskets

Final Compression Ratio Will Be As Follows:

Head CC's	Final CR
59	13.51
61	13.17
63	12.85
65	12.53
67	12.24
69	11.97
72	11.58
72	11.58
76	11.09
	11.00

Special Notes:

Cam to Conrod Clearance Must Be Checked Before Final Fitting of Camshaft

Block is the standard 9.200" Cleveland deck height. This engine will drop straight into your engine bay just like a Cleveland engine block would !

Note: 351 Windsor Cam, Timing Gear Set, Timing Case Cover, Sump and water pump must be used.

Note: The pistons supplied in this short engine can only to be used with Cleveland style cylinder heads. Conventional Windsor cylinder heads will not suit this short engine.

SRP-315481 (10CC Dish Top) Pistons Also Available

Custom Short Engine Packages Are Available

Price Does Not Include Packaging & Freight Charges

If Ordered Online We Will Contact You With A Price For Freight ASAP

Representative Image Only Product images may differ from actual product appearance

Image May Be Shown With Optional Available Extras

Short Engines Are Not Supplied Painted Unless Ordered

PLEASE CALL 03 9408 7726 IF YOU NEED ASSISTANCE

OR EMAIL YOUR ENQUIRY TO This email address is being protected from spambots. You need JavaScript enabled to view it. //